Black Abalone

Haliotis cracherodii

Black abalone are identified by their blackish-blue shell and jet-black epipodium and tentacles. The shells are smooth with a pearly white interior, little to no muscle scar, and sparse algal growth.

There are five to nine open respiratory pores, flush with the shell surface. Black abalone live from the intertidal zone to 20 ft deep, where they shelter in crevices between boulders.

POPULATION STATUS Endangered ¹ **MAXIMUM SIZE** Up to 8 inches ³

LIFESPAN Up to 30 years ¹ **DEPTH RANGE** Intertidal to 20 feet ⁴

GEOGRAPHIC RANGE Point Arena, CA to Bahia Tortugas, MX.⁴ **SHELL COLORS** Blackish-blue, sometimes faded. Smooth texture.³

PREFERRED HABITAT

Coastal and offshore island intertidal areas, found on exposed rocky shores with deep crevices.²



BODY COLORS

Body, epipodium and tentacles jet black.³

HARVEST INFORMATION

Recreational & commercial wild harvest is prohibited.¹



Adult black abalone at the NOAA Southwest Fisheries Science Center.



Black abalone sheltering in a crevice at low tide in Central California. Images: Oriana Poindexter, unless noted otherwise.



GIANT KELP Macrocystis pyrifera

ASSOCIATED ALGAL SPECIES²



FEATHER BOA KELP Egregia menzisii



BULL KELP Nereocystis leutkeana Image: Sophie McCoy, Florida State Univ.

REFERENCES

1 74 FR 1937. **3** Cox, 1962.

2 76 FR 66806. 4 Neuman et al., 2010.



National **Marine Sanctuary** Foundation





CHANNEL ISLANDS FISHERIES